

36 Obtaining the TEI DTD

Full copies of the TEI DTD fragments are not repeated in this document, although they may be reconstituted by a careful reading of each chapter.

The DTD fragments are widely available over the Internet and elsewhere. The canonical home for the TEI DTD fragments is the TEI web server at <http://www.tei-c.org/Guidelines/DTD/>. Copies of the Guidelines and the DTD are also available from the TEI in other forms, and are also served from a variety of other sources on the Internet. Note that the current version of the TEI DTD is supplied in a form which can be used with either SGML or XML processors, depending on the setting of the TEI.XML parameter variable, as further discussed in section 3.8.4 *Generation of an XML DTD*.

The following tables give for each of the files making up the current release:

1. the filename used in the release directory;
2. the type of declarations contained in the module;
3. the full name of the module, for use in constructing its Formal Public Identifier (FPI)
4. a cross reference to the chapter in which it is defined

. To make up the Formal Public Identifier, the full name of the module should be prefixed by the string `-//TEI P4//` and the type of declarations contained, and suffixed by the string `//EN`. Thus the FPI for the first file listed below should be `-//TEI P4//ELEMENTS Additional Element Set for Simple Analysis//EN`. Each table corresponds with a single TEI module or ‘tag set’ i.e. a group of related DTD fragments. Tables are listed in alphabetical order.

Additional tag set for simple analysis: enabled by TEI.analysis

teiana2.dtd	ELEMENTS	Additional Element Set for Simple Analysis	15 <i>Simple Analytic Mechanisms</i>
teiana2.ent	ENTITIES	Element Classes for Simple Analysis	15 <i>Simple Analytic Mechanisms</i>

Core tag sets: enabled when any TEI base is enabled

teiback2.dtd	ELEMENTS	Back Matter	7.6 <i>Back Matter</i>
teiclas2.ent	ENTITIES	TEI ElementClasses	3.7 <i>Element Classes</i>
teicore2.dtd	ELEMENTS	Core Elements	6 <i>Elements Available in All TEI Documents</i>
teifron2.dtd	ELEMENTS	Front Matter	7.4 <i>Front Matter</i>
teihdr2.dtd	ELEMENTS	TEI Header	5 <i>The TEI Header</i>
teistr2.dtd	ELEMENTS	Default Text Structure	7 <i>Default Text Structure</i>

Additional tag set for certainty: enabled by TEI.certainty

teicert2.dtd	ELEMENTS	Additional Element Set for Certainty and Responsibility	17 <i>Certainty and Responsibility</i>
--------------	----------	---------------------------------------------------------	----------------------------------------

Additional tag set for language corpora: enabled by TEI.corpus

teicorp2.dtd	ELEMENTS	Additional Element Set for Language Corpora	23 <i>Language Corpora</i>
--------------	----------	---------------------------------------------	----------------------------

Base tag set for dictionaries: enabled by TEI.dictionary

teidict2.dtd	ELEMENTS	Base Element Set for Print Dictionaries	12 <i>Print Dictionaries</i>
teidict2.ent	ENTITIES	Element Classes for Print Dictionaries	12 <i>Print Dictionaries</i>

Base tag set for performance texts: enabled by TEI.drama

teidram2.dtd	ELEMENTS	Base Element Set for Drama 2001-12	10 <i>Base Tag Set for Drama</i>
teidram2.ent	ENTITIES	Element Classes for Drama	10 <i>Base Tag Set for Drama</i>
<i>Additional tag set for figures, tables and formulae: enabled by TEI.figures</i>			
teifig2.dtd	ELEMENTS	Additional Element Set for Tables, Formulae, and Graphics	22 <i>Tables, Formulae, and Graphics</i>
teifig2.ent	ENTITIES	Formulae Notations and Contents	22 <i>Tables, Formulae, and Graphics</i>
<i>Auxiliary DTD for Feature System Declarations</i>			
teifsd2.dtd	DTD	Auxiliary Document Type: Feature System Declaration	26 <i>Feature System Declaration</i>
<i>Additional tag set for feature structures: enabled by TEI.fs</i>			
teifs2.dtd	ELEMENTS	Additional Element Set for Feature Structure Annotation	16 <i>Feature Structures</i>
<i>General Base tag set, for use with one or more other base tag sets: enabled by TEI.general</i>			
teigen2.dtd	ELEMENTS	General Base Element Set	3.4 <i>Combining TEI Base Tag Sets</i>
<i>The TEI main DTD</i>			
tei2.dtd	DTD	Main DTD Driver File	3 <i>Structure of the TEI Document Type Definition</i>
teigis2.ent	ENTITIES	Generic Identifiers	3.8 <i>Other Parameter Entities in TEI DTDs</i>
teikey2.ent	ENTITIES	TEI Keywords	3.8 <i>Other Parameter Entities in TEI DTDs</i>
<i>Additional tag set for Linking and Segmentation: enabled by TEI.linking</i>			
teilink2.dtd	ELEMENTS	Additional Element Set for Linking, Segmentation, and Alignment	14 <i>Linking, Segmentation, and Alignment</i>
teilink2.ent	ENTITIES	Element Classes for Linking, Segmentation, and Alignment	14 <i>Linking, Segmentation, and Alignment</i>
<i>Mixed base tag set, for use with one or more other base tag sets: enabled by TEI.mixed</i>			
teimix2.dtd	ELEMENTS	Base Element Set for Mixed Text Types	3.4 <i>Combining TEI Base Tag Sets</i>
<i>Additional tag set for Names and Dates: enabled by TEI.names.dates</i>			
teind2.dtd	ELEMENTS	Additional Element Set for Names and Dates	20 <i>Names and Dates</i>
teind2.ent	ENTITIES	Element Classes for Names and Dates	20 <i>Names and Dates</i>

Additional tag set for Graph Theory: enabled by TEI.nets

teinet2.dtd	ELEMENTS	Additional Element Set for Graphs, Networks, and Trees	21 <i>Graphs, Networks, and Trees</i>
-------------	----------	--------------------------------------------------------	---------------------------------------

Base tag set for Prose: enabled by TEI.prose

teipros2.dtd	ELEMENTS	Base Element Set for Prose	8 <i>Base Tag Set for Prose</i>
--------------	----------	----------------------------	---------------------------------

Auxiliary DTD for Independent Headers

teishd2.dtd	DTD	Auxiliary Document Type: Independent TEI Header	24 <i>The Independent Header</i>
-------------	-----	-------------------------------------------------	----------------------------------

Base tag set for Transcribed Speech: enabled by TEI.spoken

teispok2.dtd	ELEMENTS	Base Element Set for Transcriptions of Speech	11 <i>Transcriptions of Speech</i>
teispok2.ent	ENTITIES	Element Classes for Transcriptions of Speech	11 <i>Transcriptions of Speech</i>

Additional tag set for Textual Criticism: enabled by TEI.textcrit

teitc2.dtd	ELEMENTS	Additional Element Set for Text-Critical Apparatus	19 <i>Critical Apparatus</i>
teitc2.ent	ENTITIES	Element Classes for Critical Apparatus	19 <i>Critical Apparatus</i>

Base tag sets for Terminological Data: enabled by TEI.terminology

teiterm2.dtd	ELEMENTS	Base Element Set for Terminological Data	13 <i>Terminological Databases</i>
teiterm2.ent	ENTITIES	Element Classes for Terminological Data	13 <i>Terminological Databases</i>
teite2f.dtd	ELEMENTS	Terminological Databases (Flat)	13 <i>Terminological Databases</i>
teite2n.dtd	ELEMENTS	Terminological Databases (Nested)	13 <i>Terminological Databases</i>

Additional tag set for Physical Transcription: enabled by TEI.transcr

teitran2.dtd	ELEMENTS	Additional Element Set for Transcription of Primary Sources	18 <i>Transcription of Primary Sources</i>
teitran2.ent	ENTITIES	Element Classes for Transcription of Primary Sources	18 <i>Transcription of Primary Sources</i>

Auxiliary DTD for Tag Set documentation

teitsd2.dtd	DTD	Auxiliary Document Type: Tag Set Documentation	27 <i>Tag Set Documentation</i>
-------------	-----	------------------------------------------------	---------------------------------

Base tag set for Verse: enabled by TEI.verse

teivers2.dtd	ELEMENTS	Base Element Set for Verse	9 <i>Base Tag Set for Verse</i>
teivers2.ent	ENTITIES	Element Classes for Verse	9 <i>Base Tag Set for Verse</i>

Auxiliary tag set for Writing System Declarations

teiwsd2.dtd	DTD	Auxiliary Document Type: Writing System Declaration	25 <i>Writing System Declaration</i>
-------------	-----	-----------------------------------------------------	--------------------------------------

wdgis2.ent	ENTITIES	Generic Identifiers for Writing System Declaration	25.1 <i>Overall Structure of Writing System Declaration</i>
------------	----------	----------------------------------------------------	-------------------------------------------------------------

Auxiliary tag set for concurrent markup of pages and lines

teipl2.dtd	DTD	Concurrent Document Type: Pages and Lines	31 <i>Multiple Hierarchies</i>
------------	-----	-------------------------------------------	--------------------------------

Two catalog files are provided with the TEI DTD fragments, one (catalog.tei) in SGML Open format; the other (teicatalog.xml) in XML Catalog format: either file may be used to specify the location of copies of the TEI DTD fragments stored locally, as further discussed in 2.10.4 *Ancillary Files*.